

CHRITTO

BOOTH IN THE BOX

FAQS

BOOTH IN THE BOX

How much does a booth cost? What is in the rental and purchase price contain?

The rental price includes installation costs. When purchasing, you decide whether you need an introduction to the structure of the exhibition stand or not. If yes, the installation costs have to be included. The forwarding costs are calculated in both variants according to effort.

What is the shipping cost dependent on?

Due to our international network, we are able to keep the cost of forwarding very low. Nevertheless, costs have to be taken into account of special rules of the organizer and the location of the stand in the hall.

How does the electricity registration work?

We recommend to order a 3 KW connection incl. distribution box from the organizer and send us a confirmation.

What delivery time do the products have?

We need your release for printing and your order by the latest 3 weeks before the beginning of the trade show. Please note that no express option exists.

What information and documents do I have with my request send them along?

Please add a hall plan with your assigned stand number to your request. Without a hall plan we can not process your request.

What system do we use?

For the standard systems, we use a very high-quality, sustainable and durable aluminum frame system, which can be supplemented in a modular manner.

Where can I order furniture?

We recommend to ask for furniture at JMT and Fundus7.

BOOTH IN THE BOX

When does the booth handover take place?

For the rental option, the handover of the booth is at 16 o'clock of the 1st construction day (2 days before the trade show begins).

Will I receive an individual rendering?

In order to keep the high-quality exhibition stands as low as possible, we reduce the service costs by 2/3 of the normal price, which is why an individual rendering in the indicated prices is not included. If you still wish a visualization of your stand, we charge an additional fee of 250 €.

How are the walls printed?

The walls are printed all over with your individual fabric graphic.

What print data do I need?

possible file format
PDF

resolution
72 - 150 dpi

color profile
ISO Coated v2 (ECI)

color space
CYMK

special colors
Define correctly! Example: Pantone 675 U, HSK 42 K

font sizes
It is recommended that the typographies are not light and extra light (thin / extra thin). The risk of color migration is too high.

at least 8 mm font height
no letters in bleed if possible spaces between letters - otherwise duplicate